

The highlighted papers are those papers recognized by the reviewers
as supporting MRM's goal of Reproducible Research.

CONTENTS

■ SPECTROSCOPIC METHODOLOGY

Research Article

Quantification of NAD⁺ in human brain with ¹H MR spectroscopy at 3 T: Comparison of three localization techniques with different handling of water magnetization, Martyna Dziadosz, Maike Hoefemann, André Döring, Malgorzata Marjańska, Edward John Auerbach, and Roland Kreis 1027
Published online 8 May 2022

■ IMAGING METHODOLOGY

Research Articles

Development of specialized magnetic resonance acquisition techniques for human hyperpolarized [¹³C,¹⁵N₂]urea + [1-¹³C]pyruvate simultaneous perfusion and metabolic imaging, Xiaoxi Liu, Shuyu Tang, Changhua Mu, Hecong Qin, Di Cui, Ying-Chieh Lai, Andrew M. Riselli, Romelyn Delos Santos, Lucas Carvajal, Daniel Gebrezgiabhier, Robert A. Bok, Hsin-Yu Chen, Robert R. Flavell, Jeremy W. Gordon, Daniel B. Vigneron, John Kurhanewicz, and Peder E. Z. Larson 1039
Published online 8 May 2022

Saturated multi-delay renal arterial spin labeling technique for simultaneous perfusion and T₁ quantification in kidneys, Zihan Ning, Shuo Chen, Zhensen Chen, Hualu Han, Huiyu Qiao, Nan Zhang, Rui Wang, Rui Shen, and Xihai Zhao 1055
Published online 4 May 2022

Free-breathing self-gated continuous-IR spiral T1 mapping: Comparison of dual flip-angle and Bloch-Siegert B1-corrected techniques, Ruixi Zhou, Junyu Wang, Daniel S. Weller, Yang Yang, John P. Mugler III, and Michael Salerno 1068
Published online 28 April 2022

Selective excitation localized by the Bloch-Siegert shift and a B₁⁺ gradient, Jonathan B. Martin, Sai Abitha Srinivas, Christopher E. Vaughn, Heng Sun, Mark A. Griswold, and William A. Grissom 1081
Published online 25 April 2022

A k-space-based method to measure and correct for temporal B₀ field variations in MR temperature imaging, Dennis L. Parker, Allison Payne, and Henrik Odéen 1098
Published online 16 May 2022

Motion-corrected 3D-EPTI with efficient 4D navigator acquisition for fast and robust whole-brain quantitative imaging, Zijong Dong, Fuyixue Wang, and Kawin Setsompop 1112
Published online 28 April 2022

On quantification errors of R₂^{*} and proton density fat fraction mapping in trabecularized bone marrow in the static dephasing regime, Sophia Kronthaler, Maximilian N. Diefenbach, Christof Boehm, Mark Zamskiy, Marcus R. Makowski, Thomas Baum, Nico Sollmann, and Dimitrios C. Karampinos 1126
Published online 28 April 2022

A Slice-Low-Rank Plus Sparse (slice-L + S) Reconstruction Method for k-t Undersampled Multiband First-Pass Myocardial Perfusion MRI, Changyu Sun, Austin Robinson, Yu Wang, Kenneth C. Bilchick, Christopher M. Kramer, Daniel Weller, Michael Salerno, and Frederick H. Epstein 1140
Published online 24 May 2022

Myelin water imaging using a short-TR adiabatic inversion-recovery (STAIR) sequence, Ya-Jun Ma, Hyungseok Jang, Alecio F. Lombardi, Jody Corey-Bloom, and Graeme M. Bydder 1156
Published online 25 May 2022

Lactate saturation limits bicarbonate detection in hyperpolarized ¹³C-pyruvate MRI of the brain, Nikolaj Bøgh, James T. Grist, Camilla W. Rasmussen, Lotte B. Bertelsen, Esben S. S. Hansen, Jakob U. Blicher, Damian J. Tyler, and Christoffer Laustsen 1170
Published online 9 May 2022

Highly accelerated EPI with wave encoding and multi-shot simultaneous multislice imaging, Jaejin Cho, Congyu Liao, Qiyuan Tian, Zijong Zhang, Jinmin Xu, Wei-Ching Lo, Benedikt A. Poser, V. Andrew Stenger, Jason Stockmann, Kawin Setsompop, and Berkin Bilgic 1180
Published online 9 June 2022

Accuracy investigations for volumetric head-motion navigators with and without EPI at 7 T, Mads Andersen, Malte Laustsen, and Vincent Boer 1198
Published online 16 May 2022

CONTENTS

Vendor-neutral sequences and fully transparent workflows improve inter-vendor reproducibility of quantitative MRI, Agah Karakuzu, Labonny Biswas, Julien Cohen-Adad, and Nikola Stikov..... 1212
Published online 3 June 2022

Metabolism of oxygen via T_2 and interleaved velocity encoding: A rapid method to quantify whole-brain cerebral metabolic rate of oxygen, Rajiv S. Deshpande, Michael C. Langham, Cheng-Chieh Cheng, and Felix W. Wehrli 1229
Published online 14 June 2022

Technical Notes

Optimization of through-time radial GRAPPA with coil compression and weight sharing, James Ahad, Evan Cummings, Dominique Franon, Jesse Hamilton, and Nicole Seiberlich..... 1244
Published online 15 April 2022

HFP-QSMGAN: QSM from homodyne-filtered phase images, Vincent Beliveau, Christoph Birkl, Ambra Stefani, Elke R. Gizewski, and Christoph Scherfler 1255
Published online 5 April 2022

Improving high frequency image features of deep learning reconstructions via k-space refinement with null-space kernel, Kanghyun Ryu, Cagan Alkan, and Shreyas S. Vasanaawala 1263
Published online 15 April 2022

Simultaneous high-resolution T_2 -weighted imaging and quantitative T_2 mapping at low magnetic field strengths using a multiple TE and multi-orientation acquisition approach, Sean C. L. Deoni, Jonathan O’Muircheartaigh, Emil Ljungberg, Mathew Huentelman, and Steven C. R. Williams 1273
Published online 12 May 2022

Electric Current Detection Based on the MR Signal Magnitude Decay, Igor Serša 1282
Published online 5 May 2022

T_2 -oximetry-based cerebral venous oxygenation mapping using Fourier-transform-based velocity-selective pulse trains, Wenbo Li, Feng Xu, Dan Zhu, Peter C. M. van Zijl, and Qin Qin 1292
Published online 24 May 2022

Multi-echo balanced SSFP with a sequential phase-encoding order for functional MR imaging at 7T, Huilou Liang, Ziyi Pan, Chencan Qian, Chengwen Liu, Kaibao Sun, Dehe Weng, Jing An, Yan Zhuo, Danny J. J. Wang, Hua Guo, and Rong Xue 1303
Published online 3 June 2022

PRECLINICAL AND CLINICAL IMAGING

Research Article

In vivo detection of carnosine and its derivatives using chemical exchange saturation transfer, Solène Bardin, Michele Lecis, Davide Boido, Céline Boutin, Giovanna Baron, Giancarlo Aldini, Patrick Berthault, Fawzi Boumezbaur, and Luisa Ciobanu 1314
Published online 8 May 2022

Technical Note

Assessing the effect of anesthetic gas mixtures on hyperpolarized ^{13}C pyruvate metabolism in the rat brain, Richard Healicon, Catriona H. E. Rooney, Vicky Ball, Ayaka Shinozaki, Jack J. Miller, Sean Smart, Daniel Radford-Smith, Daniel Anthony, Damian J. Tyler, and James T. Grist..... 1324
Published online 25 April 2022

BIOPHYSICS AND BASIC BIOMEDICAL RESEARCH

Research Article

Rat Brain Global Ischemia-Induced Diffusion Changes Revisited: Biophysical Modeling of the Water and NAA MR “Diffusion Signal”, William M. Spees, Alex L. Sukstanskii, G. Larry Bretthorst, Jeffrey J. Neil, and Joseph J.H. Ackerman 1333
Published online 22 April 2022

Technical Note

Impact of intra-axonal kurtosis on fiber orientation density functions estimated with fiber ball imaging, Jens H. Jensen 1347
Published online 18 April 2022

COMPUTER PROCESSING AND MODELING

Research Article

Cancellation of streak artifacts in radial abdominal imaging using interference null space projection, Zhiyang Fu, Kevin Johnson, Maria I. Altbach, and Ali Bilgin..... 1355
Published online 24 May 2022

Technical Notes

The “Spin-3/2 Bloch Equation”: System matrix formalism of excitation, relaxation, and off-resonance effects in biological tissue, Chengchuan Wu, Yasmin Blunck, and Leigh A. Johnston 1370
Published online 24 May 2022

Myelin water fraction mapping from multiple echo spin echoes and an independent B_1^+ map, Nima Mehdizadeh, and Alan H. Wilman..... 1380
Published online 16 May 2022

CONTENTS

■ HARDWARE AND INSTRUMENTATION

Research Articles

RF coil design for accurate parallel imaging on ^{13}C MRSI using ^{23}Na sensitivity profiles, Juan D. Sanchez-Heredia, Rie B. Olin, James T. Grist, Wenjun Wang, Nikolaj Bøgh, Vitaliy Zhurbenko, Esben S. Hansen, Rolf F. Schulte, Damian Tyler, Christoffer Laustsen, and Jan H. Ardenkjær-Larsen 1391
Published online 30 May 2022

A hardware and software system for MRI applications requiring external device data, Karyna Isaieva, Marc Fauvel, Nicolas Weber, Pierre-André Vuissoz, Jacques Felblinger, Julien Oster, and Freddy Odille 1406
Published online 4 May 2022

A patient-friendly 16-channel transmit/64-channel receive coil array for combined head-neck MRI at 7 Tesla, Markus W. May, Sam-Luca J. D. Hansen, Mirsad Mahmutovic, Alina Scholz, Nicolas Kutscha, Bastien Guerin, Jason P. Stockmann, Robert L. Barry, Ehsan Kazemivalipour, Rene Gumbrecht, Ralph Kimmlingen, Markus Adriany, Yulin Chang, Christina Triantafyllou, Susanne Knake, Lawrence L. Wald, and Boris Keil..... 1419
Published online 23 May 2022

Evaluation of specific absorption rate and heating in children exposed to a 7T MRI head coil, Shaihan J. Malik, Jeffrey W. Hand, David W. Carmichael, and Joseph V. Hajnal 1434
Published online 6 June 2022

Segmenting electroencephalography wires reduces radiofrequency shielding artifacts in simultaneous electroencephalography and functional magnetic resonance imaging at 7 T, Thanh Phong Lê, Rolf Gruetter, João Jorge, and Özlem Ipek 1450
Published online 16 May 2022

CoilGen: Open-source MR coil layout generator, Philipp Amrein, Feng Jia, Maxim Zaitsev, and Sebastian Littin..... 1465
Published online 8 May 2022

■ ERRATUM

Erratum to “Investigating Cardiac Stimulation Limits of MRI Gradient Coils Using Electromagnetic and Electrophysiological Simulations in Human and Canine Body Models” (MRM 2021, 85[2]:1047–1061), Valerie Klein, Mathias Davids, Lothar R. Schad, Lawrence L. Wald, and Bastien Guérin 1480
Published online 24 May 2022